

**VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME**

MAKE:	MODEL	CATEGORY										
ENGINE No.	VIN:											

ADR 2/00 - DOOR LATCHES & HINGES (FOR MD1, MD2, NA, NB, and NC)

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
2.2.1.1	Two latch positions?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
2.2.1.1.1/2	Longitudinal and transverse restraints?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
2.2.1.3	Locks on all side doors with operating mechanism inside vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
2.2.1.3.1	Do front door locks prevent their opening from outside?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
2.4	If 'E' marked, R11 Approval No	#	

ADR 3/02 - SEAT ANCHORAGES (FOR MD1, MD2, AND NA ONLY)

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
5.8.1	Self-locking restraining device and release control provided on all folding or hinged seats or seat backs?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.8.2	Where seat must hinge for access, is release control readily accessible to the occupant of the seat and one immediately behind?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.8.6	Where 'SEATS' are mounted on hinged engine covers, is cover self latching?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.9.1	Are rear upper parts of seat and head restraint padded if in front of another seat?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7	If 'E' marked, R14 or R17 Approval No	#	

ADR 4/03 - SEATBELTS (ALL CATEGORIES)

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
5.3.	Retractor lap sash seat belt for all outboard seating positions? (except folding 3 rd row cargo area, , and MD and ME category vehicles refer ADR 5/04 Cl 5.2.1) (Note outboard positions without retractors)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.3.1.2	Lap belts at least, for all other seating positions?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.4	Removal of seat belt assembly or its components without tools prevented?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.7	For any two seating positions, identify: (1) Location?	(1) (2)	

Notes;.....
.....

**VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME**

	(2) Mfr name/trade mark? #			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) Date of manufacture M/Y?(not required if ECE)			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(4) Identification code? #			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(5) AS 2596 Lic No?			#	
5.7	(6) Buckle identification code if different to lap/sash			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If 'E' marked, R16 Approval No			#	
5.8.1	Are all buckles of quick-release design?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.8.1	Are release instructions printed legibly on the front of the buckle and/or the release coloured red or orange (if ECE approved)?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.3.1.1	Driver's seatbelt only incorporates an ELR?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.3.1.2	All other outboard seatbelts incorporate an ELR and/or ALALR?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.9	Instructions for use of seat belt assembly in the vehicle handbook or otherwise supplied as per ADR?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6.3	Any free end of a strap of a seat belt , (1) Prevented from passing through adjuster?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Have at least 25mm available grip when fully extended?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	For 'Outboard Seating Positions' adjacent to a door, (3) Restrained against another strap?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.5	Buckle component of the non-retracting part of seatbelt assembly (for individual front seats), supported by rigid member and pivots no more than 50mm vertically?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.4	Buckle component of the retracting strap accessible?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.6	Positive design feature to restrain outboard buckles?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
19.1	For Vehicle Categories MD3, MD4, ME, NB2 and NC.			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Point on each half of seat belt <100 mm below top edge of cushion when unlatched?				

ADR 5/04 - ANCHORAGES FOR SEATBELTS (ALL CATEGORIES)

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
5.2.1	Seat belt anchorages for all seating positions? (Except MD3, MD4 & ME complying to ADR 68/00)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.5.5	No upper torso anchorages for any side facing seat?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.1.1	Lap belt anchor points on opposite sides of seating reference plane; minimum separation of 165 mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
12.2.3 12.2.4	For vehicle categories NB2, NC, MD3, MD4, and ME, With seat in rear most and lowest position, are lap anchor points: (1) Below a horizontal line 150 mm below top of seat cushion?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....

VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME

ADR 11/00 - INTERNAL SUN VISORS (FOR MD1, MD2, MD3, NA AND NB1 ONLY)

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
11.3.2	IF SUN VISORS FITTED, ARE THEY PADDED?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
11.2.2	IF MIRROR FITTED, THICKNESS OF ENERGY ABSORBING MATERIAL AROUND THE EDGE AT LEAST 1.5 MM?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
11.2.1	DO MOUNTINGS HAVE ANY EDGE WITH A RADIUS OF NOT LESS THAN 3 MM?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
11.4	IF 'E' MARKED, R21 APPROVAL NO	#	

ADR 13/00 - INSTALLATION OF LIGHTS & LIGHT SIGNALLING DEVICES (ALL CATEGORIES)

(1) If any item in column 1 is 'E' Marked note marking in Column 2.
 (2) Audit at least 2 items for each of columns 3 to 9 inclusive. Circle non-compliances, otherwise tick.
 (3) Indicate compliance status for table at end in space provided.

FEATURES								
(1) FEATURE (CLAUSE No)	(2) If 'E' Marked Approval NO	Height (#)		(5) APART	(6) EDGE	(7) G	(8) C	(9) R
		(3) MAX	(4) MIN	(#)	(#)	(*)	(*)	(*)
Main beam (*) (Cl A.6.1& A.6.1.4)					(*) Dipped beam			Dip
Dipped beam (*) (Cl A.6.2)		1200	500	600	400 (*)	Main		Main
Front fog lamp (+) (Cl A.6.3)		800 and <Dip. beam	250		400	%f		Main Swiv
Reversing lamp (*) (Cl A.6.4)		1200	250			%r		
Direction indicator Front (*) (Cl A.6.5 & A.6.5.4.2)		1500/ >2100	350	600	400	%f		Park
Direction indicator Rear (*) (Cl A.6.5 & A.6.5.4.2)		1500/ >2100	350	600	400	%r		Park
Direction indicator Side (*) Cl A.6.5 & A.6.5.4.2.1		1500/ 2300b (*)	500			%		Park

Notes;.....
.....

VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME

(1)FEATURE (CLAUSE No)	(2) If 'E' Marked Approval NO	Height (#)		(5) APART	(6) EDGE	(7) G	(8) C	(9) R
		(3) MAX	(4) MIN	(#)	(#)	(*)	(*)	(*)
Cornering Lamp (+) (CI 7.4.1)		<Dip. beam						
Stop lamp (*) (CI A.6.7 & A.6.4.1)		1500/ ≥2100	350	600/400c		%r		Park
Centre High Mounted Stop Lamp (+) (ECE R48 approved) (CI A.6.7)			<150 below bottom edge of rear screen, or > than 850 above the ground.					
Rr. Regn. Plate Lamp (*) (CI A.6.8)							Rpos	%r
Fr. Position Lamp(*) (CI A.6.9)		1500/ ≥2100 (*)	350 (*)	600	400	%f	SMar	%f
Rr. Position Lamp (*) (CI A.6.10)		1500/ ≥2100	350	600/400c (*)	400	%r	Reg	%r
Rear fog lamp (+) (CI A.6.11)		1000	250	>100 from Stop		%r		Rpos Park
Parking Lamp (+) (CI A.6.12)		1500/ ≥2100 (*)	350 (*)		400 (*)	%		%
End-Outline Marker Lamp (+) (CI A.6.13)				>200 from Position Lamp	400			
Side marker Lamps (CI 7.2)	Front (+)	1500/≥2100 (*)	600		150		Fpos	
	Rear (+)	1500/≥2100	600		150	%r	Rpos	
Reflex reflect or	Rear(*)	900	250		400	%r	C/ part	

Notes;.....
.....

VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME

(Non-triangular) (Cl A.6.15)	Front (+)		900/>>1500 *	250	600/<40 θ (A.6.19.4 .1)	400	Fpos	C /part	
	Side (+)		900/>>1500	250			%		
Day running lamp (+) (Cl A.6.19)			1500	250	600/<40 θ (A.6.19.4 .1)	400	%f	%f	
Cornering Lamp Cl A.6.20			900 and<Dip Beam	250		400			
(*) = Mandatory; (+) = If fitted. (#) = HEIGHT - To highest (Max) and lowest (Min)points on illuminating surface. APART - Distance between innermost edges of illuminating surface. EDGE - Maximum distance from outer edge of vehicle to illuminating surface. All dimensions in mm Column (7) to (9) indicate specific lamps which may be grouped (G), combined (C), or reciprocally incorporated,®. % = Permitted with any other lamp. %f = Permitted with any other front lamp. %r = Permitted with any other rear lamp.			Dipped Beam = No wider than Dipped Beam. Dip = Permitted with Dipped Beam. Main = Permitted with Main Beam. Fpos = Permitted with Front Position lamps. C/Part = May have common parts with a Lamp. Park = Permitted with Park Lamps. Smar = Permitted with Side Marker Lamps. Fpos = Permitted with Front Position Lamps. Rpos = Permitted with Rear Position Lamps. Reg = Permitted with Rear Registration Plate Lamp. Indie = Not permitted with Indicator Lamps. Swiv = Not permitted to swivel ><XXX= Permitted under specific circumstances.			COMPLIANCE Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>		SSR NO	
CLAUSE NO	FEATURE						COMPLIANCE	SSR NO	
A.2.13	VISIBILITY Are apparent surfaces of all lamps unobstructed by any parts of the vehicle (including options eg. Bull-bar)?						Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>		
A.5 A.5.5.1	GENERAL Are all lamps constituting a pair symmetrical? (Except reverse and rear fog lamps)						Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>		
A.5.10	No red light visible from the front and no white light (except reversing light) visible from the rear of the vehicle?						Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>		
A.5.11	Can all front and rear position lamps, the rear registration plate lamp, the side marker lamps, the end outline marker lamps, be only switched on and off together?						Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>		

Notes:.....
.....

**VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME**

A.5.12	Is it not possible to switch on the main-beam, dipped-beam and front and rear fog lamps without first switching on the lamps referred to in clause A.5.11?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.1 A.6.1.6	MAIN-BEAM HEADLAMPS If main-beam headlamps swivel with steering, do they function as main-beam only?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.1.7.1	Are all main beams switched off when changing over from main beam to dipped beam?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.1.8	Circuit closed tell-tale fitted and operating?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.2 A.6.2.8	DIPPED – BEAM HEADLAMPS Control within easy reach of driver? Is a tell-tail fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.2.7	(1) If bend lighting is fitted is the additional light source located in the dipped-beam headlamps or in a lamp (except Main-beam) grouped or reciprocally incorporated with the respective dipped-beam headlamp? (2) If dipped-beam headlamps are switched ON or OFF automatically is it possible to switch these dipped-beam headlamps ON and OFF manually?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.2.8	Where the whole beam or the kink of the elbow of the cut-off is moved to produce bend lighting is a flashing warning light provide in the event of a malfunction of the displacement of the kink of the elbow of the cut-off?.	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.2.9 A.6.6.2 A.6.2.7	DIPPED – BEAM HEADLAMPS WITH GAS-DISCHARGE LAMPS Gas-discharge headlamps fitted with cleaning device(s) and automatic levelling device? Do dipped-beam headlamps remain switched on during main-beam operation?.	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.3.7	FRONT FOG LAMP (OPTIONAL) Independent switch?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.3.7	Can the front fog lamps be switched on and off independently of the Main beam & dipped beam Headlamp?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.3.8	An independent non-flashing Circuit-closed tell-tail fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.4.7.1	REVERSING LAMPS Is the lamp always lit when reverse gear engaged? and The device controlling starting and stopping engine is in a position where engine can operate?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.5.7	DIRECTION INDICATOR LAMPS Independent switch and flash in phase?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....

VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME

A.6.5.4.3	Is distance of side direction turn signal lamp from front of vehicle not more than 1800 mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If NO and structure of vehicle makes it impossible to comply with minimum angles of visibility, is this distance not more than 2500 mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.5.8	(1) Is a visible and/or audible 'operating tell-tale' fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.5.8	(2) Tell-tale behaviour on turn signal malfunction?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(A) - Marked frequency change (B) - Continuously on or (C) – Continuously off (Indicate A, B or C)	<input style="width: 50px; height: 20px;" type="text"/>	
A.6.5.9	(1) Lights up in 1 sec. And flashes 60 to 120 per min?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Extinguishes within one and one half seconds?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) If one lamp fails(other than due to a short-circuit) do other lamps flash when actuated?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.6.1	HAZARD WARNING LAMP All direction indicator lamps flash in phase?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.6.7	Independent switch?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.6.8	Flashing 'circuit closed tell-tale' fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.6.9	Can Hazard Warning be activated with engine off?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.4.7.1	CORNERING LAMPS (Optional Certified to ADR 13/00 Cl7.4) Lighted continuously with corresponding Direction Indicator?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.4.7.2	Lighted only when Headlamp switch is 'ON'?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.7.7	STOP LAMP Lighted with service brake application with ignition ON?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.7.8	If fitted, is 'operating tell-tale' non-flashing operational type?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.7.2	CENTRE HIGH MOUNTED STOP LAMP (If fitted and Approved to ECE R48) Fitted on vehicle medium longitudinal plane, or offset if located on one or two movable parts of the vehicle (e.g. doors)? If offset are '1' or '2' lamps fitted (Please circle)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.8.2	REAR REGISTRATION PLATE LAMP Illuminates the registration plate area?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.9.8	FRONT POSITION LAMPS Instrument light as tell-tale?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If No, is a non-flashing tell-tale fitted? Colour WHITE, or AMBER if combined with Side Marker Lamp (Please circle)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.10.8	REAR POSITION LAMPS Common 'circuit –closed tell-tail' with front position lamps?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.11.4.1	REAR FOG LAMPS (OPTIONAL) If only one rear fog lamp is fitted, is it mounted on the centre line or to the right hand side?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.11.9	If fitted, is distance between illuminated surface of the rear fog lamp and each stop lamp greater than 100 mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes;.....
.....

**VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME**

A.6.11.7.1	Can rear fog lamp operate only when dipped beam, main beam lamps, or the front fog lamp is on?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.11.7.4	When rear fog lamp is switched 'ON', does it remain 'ON' when switching from dipped to main beam?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.11.7.2	Can rear fog lamp be extinguished independently of any other lamps?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.11.7.3.1 or A.6.11.7.3.2	Rear fog lamps are switched off and remain off (until deliberately switched on again) when the position lamps are switched 'OFF'? or Audible warning provided with ignition key removed, drivers door open and the rear fog lamp switch 'ON'?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.11.8	Independent, non-flashing, circuit closed tell-tale fitted and operational?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.12.7 A.6.12.8	PARKING LAMP (OPTIONAL) (1) Switch to permit parking lamps on the same side to be lit independently of any other lamps? (2) Able to operate with the ignition switch in 'OFF' position?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.12.8	If fitted, impossible to confuse tell-tale with that for the front and rear position lamps?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
8.6.4	END-OUTLINE MARKER LAMP (Mandatory on vehicles over 2.10m in width, optional on vehicles between 1.80 and 2.10m) If mounted on external rear vision mirror, or its support, lamp out of view of driver?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.13.4.1	Within 400 mm of outer edge of vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.13.4.2	For front lamps, not lower than upper edge of transparent zone of windscreen?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.13.9	Vertical separation from corresponding position (side) lamp greater than 200 mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6.17.4.3	SIDE REFLEX REFLECTOR (Mandatory on vehicles over 6m, Optional on vehicles less than 6m) For vehicles over 6m. (1) At least one fitted to middle third of vehicle? (2) Foremost reflector <3m from front of vehicle? (3) Rearmost reflector <1m from rear of vehicle? (4) Distance between reflectors on same side <3m? For vehicles less than 6m. (5) At least one reflector fitted within the first third and/or one within the last third of the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.1.4.1	EXTERNAL CABIN LAMPS (OPTIONAL on vehicles more than 2.1m wide only) If fitted, centralised and equally spaced at least 120mm apart.(Centre to Centre)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.1.8	If tell-tale fitted, is it that required for front and rear position lamps?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....

**VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME**

7.2	SIDE MARKER LAMPS (Other than certified to ECE R48)(Mandatory for vehicles > than 2.1m wide and > than 7.5m in length) If fitted, are there 2 red lamps to the rear (for vehicles over 7.5m in length),		
7.2.3	Or 2 lamps at the front and 2 lamps at the rear (for 'Semi Trailers less than 7.5m in length)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.2.3.1	If additional lamps are fitted are they equally spaced between front and rear lamps and not more than 5m apart (Between centres of adjacent lamps)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.2.4.3.1	Rear lamps less than 300mm from the rear of the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.2.4.3.3	Front lamps within front third of vehicle, and behind driver's rearmost seating position?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.2.8	If tell-tale fitted, is it the same as that for the front and rear position lamps?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.18 A.6.8.4.3	SIDE MARKER LAMPS (CERTIFIED TO ECE R48) (Mandatory on vehicles exceeding 6m in length) If fitted; (1) At least one lamp fitted to middle 3 rd and the foremost lamp less than 3m from the front? (2) Distance between adjacent side lamps less than 3m? (3) Rear lamps less than 1m from the rear? (4) For cab-chassis vehicles less than 6m, one lamp fitted within the front 3 rd and/or one within the last 3 rd of the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.19.7	DAYTIME RUNNING LAMP (OPTIONAL) If fitted, switch off automatically when headlamps are switched 'ON'?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.20 A.6.20	CORNERING LAMPS(OPTIONAL) (For Vehicles Certified to ECE R 48/02) (1) Are corning lamps so connected that they cannot be activated unless the main-beam headlamp or the dipped-beam headlamps are switched ON at the same time? (2) Are lamps only switched ON automatically when the direction indicator on the same side of the vehicle are switched ON and/or the steering angle is changed from the straight-ahead position towards the same side of the vehicle? (3) Are cornering lamps switched OFF automatically when the direction indicator is switched OFF and/or the steering angle has returned in the straight-ahead position?.	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.20.9	Cornering lamps are not activated at vehicle speeds above 40km/h?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 14/02 – REAR VISION MIRROR (ALL CATEGORIES)

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
14.2 14.2.1	FOR MD1 VEHICLES (Optional for NA and MD2) Is an external mirror provided for the driver's side?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes;.....
.....

**VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME**

14.2.0 14.2.3.1.2	Reflective surfaces of the internal mirror flat?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Driver’s external mirror fitted?, is it ‘Flat’ or ‘Convex’?. (circle one)			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If Driver’s external mirror ‘Convex’ is it ‘E Marked’?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If LHS external mirror fitted, is it ‘Flat’ or ‘Convex’? (circle one).			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Are internal & RHS external mirror adjustable from the drivers seating position?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.2.3.1.2	RHS external mirror not obscured by the unwiped portion of the windscreen?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.4	FOR VEHICLE CATEGORIES OTHER THAN MD1 At least one mirror fitted on each side?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.4	Projection less than 150 mm, or less than 230 mm and collapsible to 150 mm?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.4	Driver’s external mirror fitted?, is it ‘Flat’ or ‘Convex’ . (circle one)			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If Driver’s external mirror ‘Convex’ is it ‘E Marked’?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	LH external mirror fitted? Is it ‘Flat or Convex’ (Please circle)?			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.7	If ‘E’ marked, R46 Approval No	Internal	External	#	

ADR 18/02 - INSTRUMENTATION

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
18.5.1.2	Speedometer on driver's side and all visual indicators readily visible to driver?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
18.5.1.1.1	Vehicle speed measured in km/h only?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
18.5.2.1.1	Odometer, distance travelled measured in one km units from 1 to 999,999 km ?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 18/03 – INSTRUMENTATION (From 01-JULY-2006 for ALL NEW MODELS)

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
5.1	Vehicle speed indicated in km/h only? If NO	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Is the mp/h scale the secondary scale?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.5.1	Speedometer located within direct field of view of the driver and clearly legible both day and night?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.5.1.1	Speed values indicated in intervals not exceeding 20km/h (when the highest value on the display is less than 200km/h), or 30km/h (when the highest value is more than 200km/h). ? Please circle.	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Graduations at least in 1, 2, 5 or 10km/h increments?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 22/00 - HEAD RESTRAINTS (FOR MD1 AND NA ONLY)



CLAUSE NO	FEATURE	COMPLIANCE	SSR NO

Notes;.....
.....

**VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME**

22.2.1	Head restraints fitted to front outboard seats?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
22.2.2.1	Distance between upper and lower edges (not less than 115 mm)?mm	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
22.2.2.2	Minimum height of upper boundary above intersection of seat cushion and seat back at centre line of seat is not less than 700 mm?mm	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
22.2.3	Width not less than 170 mm for individual seat and 250 mm for bench seat at approx 700mm?mm	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
22.6.1/2	IF 'E' MARKED, R25 OR R17 APPROVAL NO	#	

IF HEAD RESTRAINT NON-SOLID, GIVE DIMENSIONS. SKETCH IN NOTES

	<p>A = _____</p> <p>B = _____</p> <p>C = _____</p>		<p>A = _____</p> <p>B = _____</p>
--	--	---	-----------------------------------

ADR 23/01 - PASSENGER CAR TYRES (FOR MD1 AND NA ONLY)

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
23.2.3 (To be completed for all vehicles)	For one tyre fitted, identify: (If tyre size different front and rear, complete for 1 Fr & 1 Rr tyre) (1) Manufacturer or trade mark ...Fr..... Rr..... (2) Tyre size, speed category and carcass construction symbols Fr..... Rr..... (3) Date code. Fr..... Rr.....	#	
23.2.2.1.2	At least 4 tread wear indicators?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
23.2.3	Each tyre labelled on both sides, except for 'Asymmetrical' Tyres' which are at least labelled on the outer 'Sidewalls'?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
23.2.3.8	If tyre is 'Asymmetrical', outer face indicated?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes;.....
.....

**VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME**

23.4	Regulation and marks DOT..... If 'E' marked R30, Approval No	#	
------	--	---	--

ADR 25/02 - ANTI-THEFT LOCK (FOR MD1, MD2 AND NA ONLY)

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
A.5.9.1 A.5.3	Switch position 'Engine On' to 'Anti-theft' through 'Engine Off'?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.1.5	Key removal only in the anti-theft position?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.1, A.6.3	With key in anti-theft position, is one of the following impossible? Steer vehicle/Engage forward drive gears/Release a brake? (Circle which is applicable)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.5.9.1 A.5.9.2	'Engine off' position to 'anti-theft' position by more than a single rotary or linear motion of the key, or if key removal activates the 'anti-theft' device, more than 2mm of movement required to activate?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6.0	If 'E' marked, R18 Approval No	#	

ADR 28/01 - EXTERNAL NOISE OF MOTOR VEHICLES

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
28.3	If 'E' marked, R51 Approval No;	#	

ADR 30/01 - SMOKE EMISSION CONTROL FOR DIESEL VEHICLES

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
30.5.1	REGULATION AND MARK (IF 'E' MARKED R 24, APPROVAL NO)	#	

ADR 34/01 - CHILD RESTRAINT ANCHORAGES & CHILD RESTRAINTS (MD1 ONLY)


CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
34.2.1,34.3.1	Child Restraint Anchorages provided for each applicable rear seating position? Note positions provided with CRA's (Circle where applicable)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.3.2	2 nd Row L C R 3 rd Row L C R		

Notes;.....
.....

VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME




34.2.1	Child Restraint Anchor Fitting installed in at least the centre rear position, unless centre lap sash belt fitted? If not fitted in centre position note where fitted. L R	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.2.1.1.2	For positions where 'Anchor Fitting' is not provided, does anchorage have 5/16 UNC thread?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.2.1.2.2	For positions where 'Anchor Fittings' are not provided and a non-standard bolt is required, is the Bolt and appropriate spacer provided in the glove box?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.5.1	Is each 'Child Restraint Anchorage' and 'Child Restraint Anchor Fitting' located within the vehicle in a part of the body structure which would not normally be moveable, or if moveable would not alter the tension in any 'Upper Anchorage Strap'?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.5.2	Is anchorage located within the shaded area in Fig 6?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Or		
34.5.4	Is the entire 'Interface Profile' of each 'Child Restraint Anchor Fitting' located within the shaded zone shown in Figures 9 -13? If No	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.5.4.1	Is 'Interface Profile' equipped with a routing device that	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.5.4.1.1	1. Ensures that the 'Upper Anchorage Strap' functions as if the 'Interface Profile' were located within the shaded zone?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.5.4.1.2	2. Is at least 65mm behind the 'Torso Reference Line' , in case of a non-rigid webbing-type routing device or a deployable routing device, or at least 100mm, in the case of a fixed rigid routing device?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.2.1.1.2 34.6,	Clearance provided around each 'Fitting' to allow latching and unlatching of 'Attaching Clip'	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.2.2	Location information and instructions for use provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.4.1.3	Access provided without the removal of items, except for closure plugs?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 35/01 - COMMERCIAL VEHICLE BRAKE SYSTEMS

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
5.1.1	Service brake on all wheels?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.1.4 5.3.3	Adequate provision made for adjustment of service and park brake system?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.5.1	Secondary brake system provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.6.1	If service brake is hydraulic, is it a split system?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.6.1.2	(1) combined reservoir for split system?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) if yes, is there a divider fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.6.4	Label on or near brake fluid reservoir cap?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.2.1	Service brake failure indicator:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.2.6	(1) provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.2.10	(2) lamp activation satisfactory?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) labelling satisfactory with the word 'BRAKE,' or ISO symbol  ?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.1.11	Audible indicator provided with single brake power unit?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes;.....
.....

VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME

5.7.5.1	For system with brake power units, is a separate gauge provided for each reservoir?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.5.4	Braking controls readily accessible to driver and easily operated?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.3.1.5.3.2	Park Brake: (1) retention in applied position mechanical? (2) control separate from service brake control? (3)Min. of 2 separate and distinct movements to release? If NO is it, Designed to minimise the possibility of inadvertent release?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.4	Is a Park Brake Indicator Lamp fitted? (Not required if vehicle fitted with a 'Spring Brake System' or a 'Park Brake System' utilising 'Lock Actuators'. (1) Park brake indicator a separate lamp (S), or a combination unit (C) with service brake failure lamp? (indicate S or C). (2) Labelling satisfactory with the word 'PARK BRAKE', 'PARKING BRAKE', or  or BRAKE /  if combined with service brake?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>  Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
9	If 'E' marked, Approval No	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 42/04 - GENERAL SAFETY REQUIREMENTS

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
5	BONNET LATCHING If bonnet front opening, is a second latching position provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6	DIESEL ENGINES Is device fitted to prevent inadvertent starting of engine?	<input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.1.1	STEERING SYSTEM Steering wheel located centrally or to the right?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.1.2	Is effective steering of the vehicle maintained due to failure of any non-mechanical component of the steering system? (For non-mechanical steering only)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.1.3	For vehicles with ' <i>Full-Power Steering Equipment</i> ' is a steering failure/defect visual warning signal provided to the driver?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.2	AUTOMATIC TRANSMISSION Fitted with automatic transmission? If YES:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.2.1	Starter inoperative in forward or reverse?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
9.1.1	ELECTRICAL WIRING Supported at not more than 600 mm intervals?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
9.1.2/3/4	Properly insulated, located and protected from chafing?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
10.2.1	EXHAUST OUTLETS FOR MD AND ME VEHICLES ONLY Exhaust outlet near rear of vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
10.2.2	If other than a vertical exhaust: Exhaust outlet discharges rearwards, or to the right and at no more than 45 degrees downwards with outlet within the perimeter when viewed in plan?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes;.....
.....

**VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME**

10.2.3	If vertical exhaust: (1) Is outlet behind passenger compartment?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Direction of discharge either vertically upwards or rearwards at an angle above horizontal?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
10.3.1	FOR N-GROUP VEHICLES ONLY (1) Exhaust pipe extends at least 40 mm beyond rearmost unsealed joint of floorpan?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	2) Exhaust outlet within vehicle perimeter in plan?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
10.3.2	Height of exhaust outlet >150 mm above max. height of cab, or <750 mm above ground?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
10.3.2.1	1) For above cab exhaust, is direction of discharge above horizontal and not to the left hand side of vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
10.3.2.2	(2) For other exhaust, direction of exhaust discharge not to the left, and between the horizontal and 45 degrees downwards?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
10.3.3	Exposed section of above cab exhaust shielded?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
10.4	Vertical exhausts where fitted must meet 1 of the following, (1) Is the orifice a horizontal cross section of the exhaust, and directs exhaust gases vertically upwards? OR	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
10.4.1	(2) Is the orifice a horizontal cross section of the exhaust, and fitted with a rain cap operating fore and aft? OR	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
10.4.2			
10.4.3	(3) Is the orifice angled and orientated to direct exhaust gases rearward, within 0 & 45 degrees of the longitudinal centre line of the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
11.1.1/2/3	EXTERNAL OR INTERNAL PROTRUSIONS Devoid of external or internal projections or sharp or pointed fittings?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
11.1.4	Bumper bar ends turned back?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
12.1	FIELD OF VIEW Driver's view on either side and in all directions in front of the vehicle unobstructed?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.2.1	WHEEL GUARDS (MUDGUARDS) Are front and rear wheels shrouded by wheel guards that will: (1) Direct downwards stones, mud, ice and snow as far as practicable?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Prevent direct contact in collision?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.2.2	Provides cover at least as shown in Fig. 2 of ADR 42/04?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.2.5	If mud-flaps are required to meet requirements of clause 14.2.2, do they reach a point at least 230mm from the ground for other than off-road vehicles and 300mm for vehicles designed for off-road, and provides cover for Overall Tyre Width of all tyres?:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.4	If a tray body vehicle with overall width >2.2m and is not fitted with rear marking plates: Rear wheel guards visible from rear painted white or silver?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes;.....
.....

**VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME**

15	<p>BRAKE TUBING AND BRAKE HOSES All brake hoses and tubing fitted to prevent chafing, kinking or other mechanical damage? If marked, provide details from 1 hose . (1) Location (2)Markings.....</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p> <p align="center">#</p>	
17.2	<p>SLEEPER BERTH FOR CATEGORIES NB AND NC ONLY (1) Located within cab or adjacent to cab and not in cargo space unless effectively separated from rest of cargo space?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
17.3	<p>(2) Constructed so that occupant not likely to be thrown out in the event of sudden deceleration?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
17.4	<p>EXITS. (1) At least two exits on opposite sides of the vehicle? If YES, each at least 450 mm high and 530 wide? OR</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
	<p>(2) If berth is part of cabin, access to driver’s seat at least 450 mm high and 910 mm wide?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
17.5.1	<p>Means of communication with driver provided?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
17.6	<p>Located to avoid over heating and entry of exhaust gases and leaking fuel?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
17.7	<p>Provision for sufficient ventilation but reasonably constructed to prevent ingress of dust or rain?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
18	<p>TELEVISION AND VISUAL DISPLAY UNITS Television receiver or visual display monitor fitted? If YES:</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
18.1.1/2	<p>Is obstruction of driver's vision or impediment to driver or passenger movement prevented?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
18.1.3	<p>Is it unlikely to increase risk of occupant injury?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
18.2	<p>Is driver's visibility of images other than from driver's aid prevented?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
19.1	<p>WINDOWS AND VENTILATION (1) Can at least half of the windows be opened? If NO:</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
19.1	<p>(2) Is alternative ventilation adequate?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
19.2.1	<p>Supplementary ventilation provided?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
20.2	<p>WARNING DEVICE AUDIBLE Fitted with at least one horn with constant amplitude and frequency characteristics?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
23	<p>DEMISTING OF WINDSCREENS Is a device fitted to remove condensed moisture from the windscreen?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
24	<p>WINDSCREEN WIPERS AND WASHERS (1) Is a power driven windscreen wiping system fitted? (2) Is a windscreen washing system, which directs water onto the swept area fitted? (3) Is the device/s for operating the wipers and washers within easy reach of the driver?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	

Notes;.....
.....

**VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME**

25	TYRE AND RIM SELECTION (APPLICABLE TO NA, NB1 & MD only)		
	Is a tyre placard fitted?		
	Does the placard contains the following information:		
	(1) Manufacturers recommended tyre size?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Recommended cold inflation pressures in Kpa?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) Recommended load rating and speed category?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Maximum load rating and speed category of tyre fitted equal to or greater than that on the placard?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Are all tyres on the placard included on the RVD?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Part number if shown on the placard? Pt No.....	#	

ADR 44/02 - SPECIFIC PURPOSE VEHICLE REQUIREMENTS

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
44.6.3	L.P.G. FUELLED VEHICLES		
44.6.3.1	Vehicle clearly permanently marked in a conspicuous position within the engine compartment with the following information?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
44.6.3.2	(1) Installed as per AS1425-1989?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
44.6.3.3	(2) Identification of the installer? (If not the same as manufacturer, note details)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) Date of installation?.....	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
44.6.4	Are labels to be affixed to registration plates or supplied for inspection, at least 25 mm square and red in colour?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
44.8.1	MOTOR HOMES AND CAMPER VANS		
	Is one outward-opening or sliding door located on the left hand side?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 61/02 – VEHICLE MARKING

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
5.1	VEHICLE IDENTIFICATION NUMBER		
	Is the VIN clearly visible on an integral part of the vehicle not easily removed?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If VIN is directly marked on an integral part of the vehicle, is the minimum height at least 7 mm? If NO What is height of VIN? Indicate in MM.	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>mm #	
	If VIN is on a separate plate which in turn is permanently affixed to an integral part of the vehicle, is the minimum height at least 4 mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6.1	COMPLIANCE PLATE		
	Is an approved Compliance Plate Fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If YES, is it satisfactory?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
Circ 0-3-8	FOR ADHESIVE COMPLIANCE PLATE LABELS		
	(1) Is a VIN bar code included on the label?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Is the label resistant to counterfeiting?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) Is a manufacturer's Logo or other unique identifier included on the label?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes;.....
.....

**VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME**

	ENGINE NUMBER Is the engine number permanently stamped, cast, laser engraved or a combination of these on the main component of the engine?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7	Can a legible engine number be readily seen when the engine is installed in the vehicle? If 'No' is one of the following met?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.1	1. Are only simple hand tools required to remove any vehicle components?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.1.1			
7.1.2	Or	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.1.3	2. Is a supplementary label placed in a conspicuous position in the engine compartment? Is the label adequately durable for its environment, and not removable other than by its destruction?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Is the engine number satisfactorily located as per typical number on the RVD form?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
9	REGISTRATION PLATES Are all parts of the front and rear number plate made as per Fig. 1 of the ADR below 1,300 mm from the ground?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
9.1.1.1/2			
9.1.1.2	No part of the front and rear number plate obscured by any part of or equipment on the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 62/01 – MECHANICAL CONNECTIONS BETWEEN VEHICLES

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
10.1	COUPLINGS AND TOWBARS (OPTIONAL) (1) If fitted, does the ball of a ball coupling, for use with a trailer of ATM not exceeding 3.5t, have a diameter of 50mm? (2) Is coupling marked '50' in 5mm high characters?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
13.1.1	FOR TOWBARS UP TO 3.5t If fitted, does the 'Towbar' display the following information in letters not less than 2.5mm in height; (1) The Manufacturer's, Supplier's, or Importers Identification? (2) Vehicle Make and Model or Towbar Part No? (3) Towing Lug Part No (If different to towbar)? (4) Max Towball down load(Kg)? (5) Rated Towbar capacity(Kg)? (6) FOR TOWING PURPOSES ONLY	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
13.1.1	Is an additional label fitted in a conspicuous position on the vehicle, and displays the following information? (1) Max. Towball down load (Kg)? (2) Rated Towbar Capacity(Kg)? (3) FOR TOWING PURPOSES ONLY?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes;.....
.....

**VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME**

	FOR TOWBARS OVER 3.5t If fitted, does the 'Towbar' display the following information when fitted to the vehicle;		
13.2.1	(1) The 'Towbar' manufacturer's name or trade mark?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
13.2.1.1	(2) The 'make and model' shown on the 'Compliance Plate' fitted to the vehicle for which it is designed, or manufacturer's part number?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
13.2.1.2		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
13.2.1.3	(3) Its maximum rated capacity expressed in numerals not less than 6mm ?		
13.2.2	Where the information above is not visible when the 'Towbar' is fitted to the vehicle, is an additional plate showing the maximum rated capacity of the 'Towbar' fitted in a conspicuous position adjacent to the 'Towbar'?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
13.4.3	Safety chain attachments fixed to a part of the 'Towbar' which is permanently attached to the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 68/00 - OCCUPANT PROTECTION IN BUSES (FOR MD3,MD4 and ME ONLY, Except ROUTE SERVICE OMNIBUSES, OMNIBUSES WITH LESS THAN 17 SEATS AND SEATING REFERENCE HEIGHT LESS THAN 1.0M)

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
5.5	Seatbelt anchorages for all applicable seating positions?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.6.1	At least six seats fitted with Child Restraint Anchor Fittings as specified in ADR 34/-?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 69/00 - FULL FRONTAL IMPACT OCCUPANT PROTECTION (FOR NA1 ONLY)

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
	FOR VEHICLE CATEGORY NA1 ONLY		
5.5.1	Seatbelt Warning System Visual Indicators;	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.5.2	(1) Fitted?		
	(2) Activation check satisfactory?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) Labelling satisfactory?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 79/01 – EMISSION CONTROLS FOR LIGHT VEHICLES (N Group GVM 3.5t or less only) Petrol, LPG & NG only.

	INLET ORIFICES FOR PETROL TANKS.		
5.1.2.1	Filler neck internal diameter not more than 23.6mm?(for unleaded fuel nozzle only)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.1.2.2.2	If filler neck is greater than 23.6mm, is an unleaded fuel symbol affixed near petrol filler inlet(s)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes;.....
.....

**VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME**

5.1.3	Is provision made to prevent excess evaporative emissions fuel spillage caused by a missing filler cap by one of the following; (1) An automatic opening and closing, non-removable fuel filler cap? (2) Design feature which avoids excessive evaporative emissions in case of a missing fuel filler cap? (3) Any other feature e.g. a tethered filler cap, a chained filler cap, or a locking filler using the ignition key. In the case of a key is the key only removable in the locked position?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If 'E' marked, R83 Approval No	#	

ADR 80/00 & 80/01 – EXHAUST EMISSION CONTROL FOR HEAVY VEHICLES (GVM GREATER THAN 3.5t)

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
6.1	If 'E' marked, Approval No, or regulation markings	#	

ADR 81/01 – FUEL CONSUMPTION LABELLING. (NA, MD1, MD2, MD5 MD6 (Less than 3.5t GVM) Categories only)

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
4.4.1, 4.4.2,4.4.3, 4.5.1	Label self adhesive, durable and removable. Visible from outside the vehicle, and shall be placed in a bottom corner of the front windscreen on the inside. As per Fig. 1, Fig 2(Petrol, Diesel LPG) or Fig 3(CNG).	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 1.6 A 1.6.1 A 1.6.2 A 1.7 A 1.8	Does the label contain the following information: 1. Vehicle Make & Model description by which vehicle is sold? 2. The type of Fuel? (Only the words 'Petrol, Diesel, LPG, CNG and Electric' to be used). 3. The Fuel consumption value? 4. The CO2 emissions value?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
1.5	Colours used on the label only Black, Red, Yellow, White & Green?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

CIRCULAR 0-4-12 - CAMPERVANS AND MOTORHOMES

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
7 7.1	DESIGNATED SEATING POSITIONS. Is the number of 'Designated Seating Positions' equal to, or greater than the number of sleeping-berths provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes;.....
.....

**VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME**

8 8.1	<p>SEATS, SEATBELTS and SEATBELT ANCHORAGES.</p> <p>Is there a prominently displayed durable label with the words ‘THIS VEHICLE IS DESIGNED FOR THE CARRIAGE OF.....PERSONS’ permanently affixed to the interior of the motorhome?</p> <p>Are all the letters at least 6mm high?</p> <p>Does the label include the following words “ WARNING- THE SEATING POSITION(S) SHOWN BY ‘X’ ON THIS LABEL MUST NOT BE OCCUPIED WHILE THE VEHICLE IS IN MOTION”?</p> <p>Is a facsimile of the label provided in the Owner’s manual?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p> <p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p> <p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p> <p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
8.2	<p>Are all seat anchorages, seatbelts, seatbelt anchorages and child restraint anchorages added or modified by the conversion in designated seating positions in accordance with ADR 3/xx, ADR 4/xx and ADR 5/xx?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
8.2.1	<p>If any swivelling seat is used as a designated seating position in any of its positions, is it capable of being locked in each of those positions and provided with ADR complying seat, seat anchorages, seatbelt assemblies and seatbelt anchorages?</p> <p>If any swivelling seat is able to be locked in a position other than as certified as a ‘<i>Designated Seating Position</i>’ is a durable and permanent label provided in a visible position adjacent to the seat, in 6MM high letters as follows:</p> <p>WARNING : THIS SEAT IS ONLY TO BE USED IN THE (FORWARD/REARWARD/etc* - as appropriate) FACING POSITION WHILE THE VEHICLE IS IN MOTION.</p> <p>Is a facsimile of the label provided in the Owner’s manual?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p> <p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p> <p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
8.3	<p>For seats other than ‘<i>Designated Seating Positions</i>’ are no seatbelts, child restraint anchorages or any other equipment that may imply they are for use in transport?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
8.4	<p>If CRA’s are fitted, do they meet the requirements of the motorhome vehicle category?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
9 9.1	<p>GLAZING MATERIAL</p> <p>Are all vehicle windows and any glazing material that is within the head impact area marked in accordance with ADR 8/xx ?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
10 10.1	<p>LIQUEFIED PETROLEUM GAS (LPG)</p> <p>Has installation of LPG appliances been conducted by a licensed gas fitter?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
11 11.2	<p>GENERAL SAFETY</p> <p>If the electrical installations are intended for connection to a power system other than the vehicle’s, has it been installed by a licensed electrician?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
11.3	<p>In addition to the tyre placard requirements of ADR 42/04 does the tyre placard (or an additional supplementary placard) display the <i>Gross Axle Load Rating (GALR)</i> of each Axle or Axle Group?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
12.1.3	<p>Does the RVD include in ‘remarks’ the individual axle group loads for each variant?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	
ADR 44/02 44.8.3	<p>FIRE EXTINGUISHERS.</p> <p>For single compartments at least one extinguisher (class 1A : 5B) suitably located and supported by a suitable bracket?</p> <p>For multi-compartment vehicles at least two extinguishers, (class 1A : 5B) suitably located and supported by a suitable bracket?</p>	<p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p> <p>Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/></p>	

Notes;.....
.....

VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME

Has the RVD been checked and found satisfactory?	Y <input type="checkbox"/> N <input type="checkbox"/>	
Has the Omnibus Supplement been checked?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Inspectors;

Name:..... Signature: Date:

Name: Signature: Date:

Notes:.....
.....

VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME

ADR 58/00 - REQUIREMENTS FOR OMNIBUSES (MD AND ME) DESIGNED FOR HIRE AND REWARD

CLAUSE NO	FEATURE	COMPLIANCE	SSR NO
58.4	AISLE REQUIREMENTS		
58.4.1	Width of aisle(s) suitable for:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.4.2	(1) A large omnibus or double deck (ie >380 mm)?		
	(2) Use except for route service (ie >300 mm)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	ACCESS		
	If with longitudinal aisle;	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.5	(1) At least one access on L.H.S of bus?		
58.5.1	(2) Access clear of any obstruction, provided with hand grip on either side and of width >550 mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) Height – Lowest step to top of opening suitable for:		
	(a) a large omnibus (at least 1800 mm)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(b) A small omnibus (at least 1200 mm)?		
58.5.2	If double deck, width of access platform >900 mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Access to a single row of seats:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(1) Either by a longitudinal aisle or adjacent door on L.H.S?		
58.5.3	(2) Width of access at height of seat cushion >550 mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) Height – Lowest step to top of opening suitable for:		
	(a) a large omnibus (at least 1375 mm)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(b) a small omnibus (at least 1200 mm)?		
58.5.4	No RHS access except for driver or emergency exit?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.5.5	If occupant capacity >12, driver operable doors at each access? (Not required for double deck with open access platform).	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.5.6	Doors open outwards or come inwards no further than access steps if 'Jack Knife' or 'Glide-away' type?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.5.7	No door fitting covering internal steps when door closed?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	HEAD ROOM		
58.6	If access to seats by longitudinal aisle, height at centreline of aisle suitable for:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.6.1			
58.6.1.1	(1) a large route service omnibus (ie >1800 mm)?		
58.6.1.2	(2) either large omnibus or each deck of double deck (ie >1650 mm)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.6.1.3	(3) other omnibus (ie >1350 mm or 1200 mm if aisle length <2m)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.6.2	Where access to a single row of seats is not by a longitudinal aisle, height on longitudinal centreline suitable for:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.6.2.1	(1) a large omnibus (ie exceeds 1500 mm)?		
58.6.2.2	(2) a small omnibus (ie exceeds 1200 mm)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.7	ACCESS STEPS (Except between decks of a double deck)		
58.7.1	Skid resistant tread on steps?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.7.2.1	Lowest access step 250 to 410 mm from ground?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes;.....
.....

**VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME**

58.7.2.2	Riser height of other access steps less than 300 mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.7.3.1	Width of lowest access step > width of access opening?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.7.3.2	Width of other access steps at least 450 mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.7.4	Tread depth suitable for:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.7.4.1	(1) a large omnibus (more than 225 mm)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.7.4.2	(2) a small omnibus (more than 180 mm)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.7.5	In plan at least 180 mm of each lower step visible, or 140 mm for a Small Omnibus?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.8	DRIVER'S GUARD RAIL If a large omnibus, is a guard rail or suitable structure fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.9	INTERNAL MIRROR If access doors behind driver, does a mirror give the driver adequate view of doors and their approaches?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.10	HAND STRAPS Suitable number of hand straps/rails/grips provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.11	FLOORS Floor surface, skid resistance and sealed from engine fumes and dust?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.12	EMERGENCY EXITS	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.12.0.1	(1) Occupant capacity 12 or less?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.12.0.2	(2) Width not more than 2m?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.12.0.3	(3) One or more doors on each side of vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.12.0.4	(4) Provides access from any seating position to a door of area > 0.7sq.m and minimum dimension 500 mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
If YES to all 4 above question, emergency exits not required. Proceed to Clause 58.13 – PASSENGER SEATS			
58.12.1 58.12.1.1/2	For a single deck omnibus is an emergency exit located: In extreme rear of omnibus or in rear half of roof?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.12.1.3	Area and minimum dimension of emergency exit suitable for:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(1) a large omnibus (>0.7sq.m, 500 mm)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) a small omnibus (0.52sq.m, 500 mm)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.12.1.2	If in roof, additional emergency exit of area >0.32sq.m and minimum dimension 500 mm provided on RHS of vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.12.2	If double deck, at rear on each level, is an emergency exit of area >0.7sq.m and minimum dimension 500 mm provided? (Rear platform qualifies if access extends to left rear corner of vehicle and 450 mm across rear).	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.12.3	Emergency exit openings:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(1) Clear, open outwards and openable from inside and out?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Method of opening (unless obvious) and the words 'Emergency EXIT' shown on inside and out?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.12.4	Lower edge of exit between 500 mm and 1000 mm above floor?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If <500 mm, protected against passenger contact?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.12.5	Is material closing exit carried in flexible weather strips?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.13	PASSENGER SEATS	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.13.1	Width of each seating position not less than 400 mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....

**VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME**

58.13.2	Distance from seat squab to seat cushion front at least 350 mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.13.3	No obstruction forward of seat squab, between top of seat cushion 610 mm above floor, for:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.13.3.1	(1) At least 1.2m for opposite facing seats?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.13.3.2	(2) at least 660 mm for all other seats?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.13.4	The space in front of each seating position shall be:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(1) clear for 200 mm forward of cushion (400 mm for opposite facing seats) and 150 mm on each side of centre between floor and the level of seat cushion?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Foot space 300mm wide if >15 occupants or, 200mm wide and 300mm deep if up to 15 occupants?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.13.5 58.13.5.3	(3) Such spaces separate from each other and from the designated spaces for standing passengers and for minimum aisle width?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Height of top of seat cushion from floor:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(1) Not more than 500 mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.13.5.3	(2) Not less than 300 mm if seat on engine/wheel housing?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) If YES to (1) and (2), then suitable for:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(a) a large omnibus (ie >400 mm for other seats)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(b) a small omnibus (ie >380 mm for other seats)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.13.6	Seats arranged to avoid interference with access and clearance requirements?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.13.7	Rear and top of squab free of sharp edges and projections?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.13.8	Seats securely attached?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.13.9	Seats of resilient material or suitably sprung and covered with seating quality material?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.14	DRIVER'S SEAT Comfortable and securely attached?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.15	INTERIOR DOORS Free of interior doors separating passenger space from access doors or emergency exits?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.16	PASSENGER STOP SIGNAL Within convenient reach of passengers?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.17	INTERIOR FITTINGS Interior trim non-absorbent and fittings firmly attached?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.18	INTERIOR LIGHTING Sufficient lighting including direct illumination of step tread and risers provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.19	INTERIOR LUGGAGE RACKS If luggage racks provided:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(1) Distance between rack and seat cushion surface exceeds 950 mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Constructed to minimise risk of dislodgement of luggage and injury from projections?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.20 58.20.1	FURTHER REQUIREMENTS FOR DOUBLE DECK OMNIBUSES Stairway with guard rail, guard panel and of width >400 mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....

**VEHICLE INSPECTION REPORT – OMNIBUS SUPPLEMENT
FOR VEHICLES OF CATEGORY MD AND ME**

58.20.2	Height of upper deck <2750 mm from ground and adequately drained?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.20.3	Upper deck enclosed on all sides?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.21	TAIL SHAFT GUARDS Guards to prevent front end contacting road, if detached?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.22	ADDITIONAL LAMPS Additional lamp(s) illuminating signs not red in colour?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.23 58.23.3	FUEL SYSTEM Drainage provided in engine compartment to prevent accumulation of fuel or lubrication oil?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.23.5	No flammable material <100 mm from exhaust system unless shielded?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.23.7 58.23.9	Filler inlet designed to prevent accumulation of fuel overflow or leakage and leaks to flow to ground without contacting exhaust?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.23.7.1	(1) Filler inlet >900 mm from access opening and emergency exits?(Except small omnibus up to 15 occupants)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.23.7.2	(2) Not beneath an access opening or emergency exit? (Except small omnibus up to 15 occupants)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.23.7.3	(3) Suitably sealed if accessed from within the interior compartment?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.23.8.1	All parts of fuel tanks (including inlets); (1) at least 1.2m from front end of bus?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.23.8.2	(2) within overall width of bodywork?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.23.8.3	(3) outside engine compartment and passenger compartment?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
58.24	FIRE EXTINGUISHER (1) For Route Service omnibuses. At least one extinguisher (class 2A : 20B, fitted with hose), suitably located and supported by a suitable bracket?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2)For Outside urban areas or when fitted with integral luggage compartment. At least 2 extinguishers, (class 2A : 20B, fitted with hose) Suitably located (one to be mounted near the underfloor area or engine) and supported by a suitable bracket?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) Adequate instructions for use displayed?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(4) Capacity, type and markings?.....	#	
	Is omnibus design suitable for use for hire and reward?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If YES, is it suitable as:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(1) a large omnibus?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) a small omnibus?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) a route service omnibus?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Inspectors;

Name:..... Signature: Date:

Name: Signature: Date:

Notes;.....
.....